



Proposal - Detailed

Phone:


Fax:

Sales Rep Name: Ash, Ron
 Sales Rep Phone: 720-934-5323
 Sales Rep E-Mail: rash@pellacolorado.com
 Sales Rep Fax:

Customer Information		Project/Delivery Address	Order Information	
Jovanovich Contracting 482 E 77th Ave Thornton DENVER, CO 80229-1819 Day Phone: Mobile Phone: Fax Number: E-Mail: Contact Name: Great Plains #: Customer Number: 1006163581 Customer Account: 1001781646		8456 Green Island/Jovanovich Construction 8456 Green Island Lot # LONE TREE, CO 80124 County: DOUGLAS Owner Name: Jovanovich Contracting Owner Phone:	Quote Name: Architect Series Order Number: 042 Quote Number: 4012928 Order Type: Non-Installed Sales Wall Depth: Payment Terms: Deposit/C.O.D. Tax Code: LX Cust Delivery Date: None Quoted Date: 8/17/2012 Contracted Date: Booked Date: Customer PO #:	

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
--------	-----------	------------	------------	-----	-------------

10



Viewed From Exterior

Rough Opening: 36 - 1/4" X 72 - 1/4"

Final Wall Depth: 6-9/16"

Architect, Awning, Support Product, Rectangle, 35.5 X 71.5, Putty, 6-9/16"


Item Price \$752.90 Qty 3 Ext'd Price \$2,258.70

PK # 527

1: Non-Standard Size Right Awning
Frame Size: 35 1/2 X 17
General Information: Standard, Clad, Pine
Exterior Color / Finish: Standard EnduraClad, Putty
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low E Advanced Argon Gas
Hardware Options: Standard Roto Operator, White
Screen: Full Screen, White, InView
Grille:


Horizontal Mull 1: FactoryMull, Standard (Horizontal Factory) (0")
 2: Non-Standard Size Fixed Frame
Frame Size: 35 1/2 X 54 1/2
General Information: Interior Glazed, Factory Assembled, Standard, Clad, Pine
Exterior Color / Finish: Standard EnduraClad, Putty
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low E Advanced Argon Gas
Grille:

Wrapping Information: Foldout Fins, Factory Applied, 6-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 214", Glazing Pressure = 60.


Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
15		Architect, Casement Fixed, 59.5 X 47.5, Putty, 6-9/16"	\$788.30	1	\$788.30
					
	PK #	1: Non-Standard Size Fixed Casement Frame Size: 59 1/2 X 47 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Grille: Wrapping Information: Foldout Fins, Factory Applied, 6-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 214", Glazing Pressure = 50.			
		Viewed From Exterior			
		Rough Opening: 60 - 1/4" X 48 - 1/4"			
		Final Wall Depth: 6-9/16"			
20		Architect, Casement Fixed, 35 X 53.5, Putty, 4-9/16"	\$410.54	2	\$821.08
					
	PK #	1: Non-Standard Size Fixed Casement Frame Size: 35 X 53 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Grille: Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 177", Glazing Pressure = 70.			
		Viewed From Exterior			
		Rough Opening: 35 - 3/4" X 54 - 1/4"			
		Final Wall Depth: 4-9/16"			
25		Architect, Casement Left, 23.5 X 53.5, Putty, 4-9/16"	\$424.56	1	\$424.56
					
	PK #	1: Non-Standard Size Left Casement Frame Size: 23 1/2 X 53 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 154", Glazing Pressure = 75.			
		Viewed From Exterior			
		Rough Opening: 24 - 1/4" X 54 - 1/4"			
		Final Wall Depth: 4-9/16"			


Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
30	1 53.5 1 29.5 • 29.5 • 29.5 PK # 527	<p>Architect, 3-Wide Casement, 88.5 X 53.5, Putty, 4-9/16"</p> <p>1: Non-Standard Size Left Casement Frame Size: 29 1/2 X 53 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: Vertical Mull 1: FactoryMull, Standard (Vertical Factory) (0")</p> <p>2: Non-Standard Size Fixed Casement Frame Size: 29 1/2 X 53 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Grille: Vertical Mull 2: FactoryMull, Standard (Vertical Factory) (0")</p> <p>3: Non-Standard Size Right Casement Frame Size: 29 1/2 X 53 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 284", Glazing Pressure = 70.</p>	\$1,327.51	1	\$1,327.51


Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
35		Architect, 3-Wide Casement, 88.5 X 71.5, Putty, 4-9/16"	\$1,520.01	1	\$1,520.01
	PK #				
	527				
		1: Non-Standard Size Left Casement Frame Size: 29 1/2 X 71 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: Vertical Mull 1: FactoryMull, Standard (Vertical Factory) (0") 2: Non-Standard Size Fixed Casement Frame Size: 29 1/2 X 71 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Grille: Vertical Mull 2: FactoryMull, Standard (Vertical Factory) (0") 3: Non-Standard Size Right Casement Frame Size: 29 1/2 X 71 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 320", Glazing Pressure = 45.			
Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
40		Architect, Casement Right, 23.5 X 53.5, Putty, 4-9/16"	\$424.56	1	\$424.56
	PK #				
	527				
		1: Non-Standard Size Right Casement Frame Size: 23 1/2 X 53 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 154", Glazing Pressure = 75.			

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
45	 Viewed From Exterior	Architect, Casement Left, 23.5 X 71.5, Putty, 4-9/16" 1: Non-Standard Size Left Casement Frame Size: 23 1/2 X 71 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 190", Glazing Pressure = 60.	\$491.91	1	\$491.91
50	 Viewed From Exterior	Architect, Casement Right, 23.5 X 71.5, Putty, 4-9/16" 1: Non-Standard Size Right Casement Frame Size: 23 1/2 X 71 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 190", Glazing Pressure = 60.	\$491.91	1	\$491.91
55	 Viewed From Exterior	Architect, Awning Right, 47.5 X 23.5, Putty, 4-9/16" 1: Non-Standard Size Right Awning Frame Size: 47 1/2 X 23 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Tempered Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 142", Glazing Pressure = 205.	\$439.87	1	\$439.87

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
60		Architect, Casement Left, 23.5 X 59.5, Putty, 4-9/16"	\$447.03	1	\$447.03
	PK #		1: Non-Standard Size Left Casement Frame Size: 23 1/2 X 59 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 166", Glazing Pressure = 70.		
	527	Viewed From Exterior			
	Rough Opening:	24 - 1/4" X 60 - 1/4"			
	Final Wall Depth:	4-9/16"			
65		Architect, Casement Right, 23.5 X 59.5, Putty, 4-9/16"	\$447.03	1	\$447.03
	PK #		1: Non-Standard Size Right Casement Frame Size: 23 1/2 X 59 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 166", Glazing Pressure = 70.		
	527	Viewed From Exterior			
	Rough Opening:	24 - 1/4" X 60 - 1/4"			
	Final Wall Depth:	4-9/16"			

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
70	 Viewed From Exterior Rough Opening: 72 - 1/4" X 72 - 1/4" Final Wall Depth: 4-9/16"	Architect, 2-Wide Casement, 71.5 X 71.5, Putty, 4-9/16" PK # 527 1: Non-Standard Size Left Casement Frame Size: 35 X 71 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: Vertical Mull 1: FactoryMull, 1 1/2" x 4 3/8" Wood 2: Non-Standard Size Right Casement Frame Size: 35 X 71 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 286", Glazing Pressure = 45.	\$1,222.94	1	\$1,222.94
75	 Viewed From Exterior Rough Opening: 24 - 1/4" X 48 - 1/4" Final Wall Depth: 4-9/16"	Architect, Casement Right, 23.5 X 47.5, Putty, 4-9/16" PK # 527 1: Non-Standard Size Right Casement Frame Size: 23 1/2 X 47 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 142", Glazing Pressure = 90.	\$402.10	1	\$402.10

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
80		Architect, Casement Right, 29.5 X 47.5, Putty, 4-9/16"	\$475.54	1	\$475.54
					
	PK #	1: Non-Standard Size Right Casement Frame Size: 29 1/2 X 47 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: GBG, No, 3/4" Contour, Traditional (2W4H), White, White Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 154", Glazing Pressure = 85.			
	527				
		Viewed From Exterior			
		Rough Opening: 30 - 1/4" X 48 - 1/4"			
		Final Wall Depth: 4-9/16"			
85		Architect, 2-Wide Casement, 59.5 X 47.5, Putty, 4-9/16"	\$970.55	1	\$970.55
					
	PK #	1: Non-Standard Size Left Casement Frame Size: 29 3/4 X 47 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: GBG, No, 3/4" Contour, Traditional (2W4H), White, White Vertical Mull 1: FactoryMull, Standard (Vertical Factory) (0")			
	527				
		Viewed From Exterior			
		Rough Opening: 60 - 1/4" X 48 - 1/4"			
		Final Wall Depth: 4-9/16"			
		2: Non-Standard Size Right Casement Frame Size: 29 3/4 X 47 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: GBG, No, 3/4" Contour, Traditional (2W4H), White, White Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 214", Glazing Pressure = 85.			

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
90	Viewed From Exterior	Architect, 2-Wide Casement, 59.5 X 71.5, Putty, 4-9/16"  PK # 527 1: Non-Standard Size Left Casement Frame Size: 29 3/4 X 71 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: GBG, No, 3/4" Contour, Traditional (2W6H), White, White Vertical Mull 1: FactoryMull, Standard (Vertical Factory) (0") 2: Non-Standard Size Right Casement Frame Size: 29 3/4 X 71 1/2 General Information: Standard, Clad, Pine Exterior Color / Finish: Standard EnduraClad, Putty Interior Color / Finish: Unfinished Interior Glass: Insulated Low E Advanced Argon Gas Hardware Options: Standard Roto Operator, White Screen: Full Screen, White, InView Grille: GBG, No, 3/4" Contour, Traditional (2W6H), White, White Wrapping Information: Foldout Fins, Factory Applied, 4-9/16" Standard 4-sided Jamb Extension, Factory Applied, Perimeter Length = 262", Glazing Pressure = 45.	\$1,201.17	1	\$1,201.17
95	None Assigned	2-1/2" Frame Exp / Receptor, Length: 144, Putty  PK # 527 1: 2-1/2" Frame Exp / Receptor Length: 144 Exterior Color / Finish: Standard EnduraClad, Putty	\$28.67	49	\$1,404.83

Viewed From Exterior

Rough Opening:

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
100		S & H Tailgate Zone 1 - Std Shipping & Handling non-taxable Z1	\$185.00	1	\$185.00

Thank You For Your Interest In Pella® Products

PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor PELLA WINDOWS & DOORS, LLC will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

BRANCH WARRANTY:

The full text of the manufacturer's current warranty can be found at <<http://www.pella.com/products/warranty.asp>>. Supplier (PWD) offers the following Limited Warranty:

LIMITED WARRANTY

PWD MAKES NO WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER NATURE OR GUARANTEE, EXPRESS OR IMPLIED. UPON REQUEST, PWD WILL PROVIDE THE MANUFACTURER'S WARRANTIES CURRENTLY IN EFFECT RELATED TO THE MATERIAL SUPPLIED. THE MANUFACTURER'S WARRANTIES SHALL HAVE NO EFFECT UNTIL PWD HAS BEEN PAID IN FULL ALL SUMS DUE AND OWING FOR THE PRODUCT OR MATERIALS SUPPLIED PURSUANT TO THIS CONTRACT.

In no event shall PWD or Pella Corporation be liable for consequential, indirect or incidental damages or for any amount in excess of the purchase price whether the claim is for breach of warranty or negligence.

NATURAL PROPERTIES OF WOOD MATERIALS

Wood is a natural product and that variations in grain and shading will occur and because no two pieces of wood are exactly alike, variations after finishing are to be expected and are not considered defects.

Custom Materials

Customer recognizes and acknowledges that the product or materials supplied by PWD are custom in nature and there is no ready market or value other than for the job for which the materials are manufactured and/or supplied. If Customer at any time fails to pay PWD for the materials supplied, PWD may, at its option, suspend all deliveries or terminate the Contract with the Customer. Such suspension or termination DOES NOT excuse payment for those materials and products already manufactured at the full contract price or payment for any component parts already purchased and obtained by PWD.

Title

Title, ownership and the right to possession of the product or materials furnished or to be furnished by PWD shall remain in PWD until PWD is paid in full. PWD shall have a right to possession of the product or materials but is not obligated to repossess the materials in the event of non-payment. PWD's right to repossess materials is in addition to, and not a limitation upon or a waiver of PWD's other legal rights including the right to place mechanic's liens against the real property for which materials were supplied. All risk of loss or damage shall pass to the Customer upon delivery of the materials. In the event PWD elects to repossess any materials for which payment in full has not been made, Customer shall be responsible for any damage to or loss of materials and their component parts.

Risk of Loss

Although title and ownership and the right to possession of the materials or product furnished or delivered to the Customer shall remain with PWD until the materials are fully paid for, the risk of loss for the product or materials once they are delivered to the Customer shall be the Customer's responsibility. Therefore, the customer must maintain sufficient insurance to cover any damage, vandalism or any other loss to the product or materials. Any insurance proceeds would be paid over to PWD for the full amount owed to PWD in the event of any loss.

Dispute Resolution.

Direct Discussion. If a dispute arises out of or relates to this Agreement, the parties shall endeavor to settle the dispute through direct discussion.

Mediation. Disputes not resolved by direct discussion shall be submitted to mediation pursuant to the Construction Industry Mediation Rules of the American Arbitration Association. The parties shall select the mediator within fifteen (15) days of the request for mediation. Engaging in mediation is a condition precedent to any form of binding dispute resolution. This provision shall not act to delay Supplier filing a mechanic's lien foreclosure action. The cost of any mediation proceeding shall be shared equally by the parties participating.

TERMS & CONDITIONS:

PLEASE READ CAREFULLY AND SIGN OR INITIAL WHERE REQUIRED. YOU ARE RESPONSIBLE FOR UNDERSTANDING THE ENCLOSED INFORMATION AS IT RELATES TO YOUR ORDER AND OUR COMPUTER PRINTOUT OF YOUR ORDER.

- Tax exempt # _____
- Order # _____ PO# _____
- Total amount of order with taxes \$ _____ your tax rate is _____ %.
- A deposit of \$ _____ is required prior to factory order.

 TERMS OF PAYMENT

Interest of one and one half percent (1-1/2%) per month will be charged on all past due accounts. If Customer or Customer's agent directs PWD to retain the products or materials, although available for delivery, customer is responsible for payment in full within 20 days after the delivery date shown below. Customer agrees to pay all costs of collection including reasonable attorney's fees. This contract is deemed to have been entered into in the State of Colorado and Colorado law shall govern its interpretation and enforcement. Jurisdiction and venue for any legal action shall be in the County or District Court, City and County of Denver, Colorado.

 Delivery

Your requested DELIVERY DATE is (MUST BE DELIVERED WITHIN 5 DAYS OF THIS DATE) _____. In the event of failure to receive product within 10 days of your original delivery date a storage fee of \$50 per week will be accessed. Please initial _____. When product has been in Pella's warehouse for more than 10 days, order must be paid in full.

 DELIVERY DATES ARE NOT GUARANTEED and PWD shall not be liable for any direct, indirect or consequential damages or loss caused by delay in shipment. You will be notified as soon as possible if delivery during the above week becomes unattainable and a new delivery week will be established. Unless other arrangements are made with PWD, deliveries are tailgate and YOU MUST FURNISH LABOR TO UNLOAD. PWD assumes no responsibility or liability for injuries or damage to product after product leaves our truck.

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

- An authorized signature is required to accept delivery.
- Signed delivery tickets will be conclusive of delivery of the materials described, the quantities listed, and receipt in good and undamaged condition.
- No claims for concealed damage, errors or defects in product, materials, workmanship, or shortages will be allowed unless written notice is received by PWD within three (3) working days after delivery. If concealed damage, errors or defects in product, materials, workmanship, or shortages are discovered and timely notice is received by PWD, PWD will be liable only for the reasonable costs of supplying replacement or repairs.

ADDITIONS/REVISIONS/CANCELLATIONS/RETURNS

All Pella Products, including windows, doors, parts and accessories are made to order and therefore non-refundable. Please review all the attributes of your order for accuracy prior to signing the purchase agreement.

- Any revisions after the contract date must be accompanied by a signed PWD Change Order Form, or by a separate contract.
- The terms of this Sales Contract shall apply to any additions, changes, and partial shipments requested for this job by the Customer or the Customer's agent.

ORDER CHECKLIST - Customer must initial each

- I understand that I have three working days after the date of delivery to report concealed damage, errors or shortages.
- I or my authorized representatives have verified the product attributes, handing, color, measurements and dimensions for the product ordered.
- Deliveries require heavy lifting. I understand I must off load product from the truck tailgate into my home or garage.
- I understand that a signed and dated copy of this Sales Contract must be in the possession of Pella Windows & Doors, Inc., along with my deposit check and credit application (if either is required), before my order can be submitted to the factory for production.
- I understand that all orders are subject to acceptance by an officer of PWD.
- I understand that the hinging and sliding designations for ALL products are as viewed from the OUTSIDE of the structure and from left to right.
- I understand that wood is a natural product and that variations in grain and shading will occur and because no two pieces of wood are exactly alike, variations after finishing are normal and not considered defective.
- I understand that building and safety code compliance is my responsibility as the purchaser.
- Product warranty and other important information are contained in this document.

THIS DOCUMENT, INCLUDING ADDENDUMS IF APPLICABLE, AND THE TERMS AND CONDITIONS CONTAINS THE ENTIRE AGREEMENT AND BUYER REPRESENTS THAT HE HAS READ, UNDERSTANDS AND AGREES TO BE BOUND BY THE SAME.

Customer Name (Please print)

Pella Sales Rep Name (Please print)

Customer Signature

Pella Sales Rep Signature

Date

Date

Order Totals

Taxable Subtotal	\$15,559.60
Sales Tax @ 5.8125%	\$904.40
Non-taxable Subtotal	\$185.00
Total	\$16,649.00
Deposit Received	\$0.00
Amount Due	\$16,649.00