

We are proud to announce our exclusive National Stocking Distributorship for HOPPE® North America. We have over 500 SKU's available for immediate shipment. HOPPE® North America is one of the leading manufacturers of door hardware.

These pages are designed to give you a sampling of the various products and finishes HOPPE® has to offer. HOPPE's® Single Design Theme is unique to the door industry and has changed and upgraded the look of American households across the country.

We are dedicated to assisting and servicing you on acquiring the quality products from HOPPE® North America.



Do you want the hardware on your entry door, interior doors, patio door and windows to match? Who wouldn't? HOPPE® North America, Inc. carries the full range of products so you can continue the single design theme throughout your entire home, for all your residential doors and windows.

The HOPPE® North America, Inc. hardware program also includes a wide range of products such as multipoint locks and handle sets with cylinders, plus adjustable hinges for doors and turn & tilt hardware for windows. Why hasn't anyone thought of this before? Bet you are glad we did.

Styles and Finishes

Contact account manager for part numbers and prices.



**Athinai Series in Polished Chrome
with Brushed Stainless Steel**

Reminiscent of a strong heritage, the classic sleek curves of the Athinai Series will accent the décor of any room.



München Series in Polished Chrome

Curves and flair distinguish the München Series handles. Reminiscent of hearty European design, your traditional handles will stand the test of time throughout your home.



Verona Series in Polished Brass

Soft, sleek lines add to the contemporary design of your home. Available in interior and entry functions, Verona Series handles will compliment every room in your home



Ródos Series in Satin Nickel

Majestic and regal, Ródos Series handles represent the ultimate in decorative, European styling and decoration throughout your home.



New Orleans Series in Matte Black

Time honored traditional design will complement the style of your home. With slim, lustrous form, New Orleans series handles are the right fit for every member of the family.



Toronto Series in Antique Brass

With a touch of provincial and a touch of cosmopolitan, Toronto Series handles complement a wide range of interior designs.



Ródos Series shown with Antique Nickel Finish



New Orleans Series with Brushed Chrome Finish



Toronto Series shown with Oil Rubbed Brass Finish



Polished Brass (F77-R)



White (F9010)



Brushed Chrome (F41-R)



Antique Nickel (F44-R)



Polished Chrome (F49-R)



Brown (F05)



Antique Brass (F73)



Matte Black (F9714)



Oil Rubbed Brass (F79)



Nickel (F01)





Satin Nickel (F42-R)





Rustic Umber (F8709)

Swing Door Handle Sets


München Series





Verona Series





New Orleans Series





Ródos Series






Toronto Series



Athinaí Series




Back Plates, Handles, Bushing, etc. are available separately.
All HOPPE® Swing Door Handles are available in Active, Inactive and Dummy sets.
Contact account manager for pricing




Cylinders See page 282 for other available finishes


All HOPPE® Cylinders are available in Full and Thumbturn Insert Sizes.




90° Full Cylinder with Crescent Knob



A	B	Part #	Finish
31.5	31.5	850-3142637	Resista Polished Brass
31.5	31.5	850-3141933	Antique Brass
31.5	31.5	850-3141925	Polished Chrome
31.5	31.5	850-3141909	Resista Brushed Chrome
31.5	31.5	850-3141984	Matte Black
31.5	31.5	850-3141941	Oil Rubbed Brass
31.5	31.5	850-3141917	Resista Satin Nickel
31.5	31.5	850-3142629	Antique Nickel




H-Knob



V-Knob

High quality and high security is what you demand from products like cylinders, security systems and locks. HOPPE® provides the highest-quality profile cylinders in the world—the ones we use on all of our swing door systems. These solid brass cylinders are five pin rekeyable compatible with the Schlage® C keyway. Available in 3 knob styles: Crescent Knob, H-Knob and V-Knob. Contact your account manager for part numbers and prices.




Cylinder Screws

Part #	Description
850-8773863	50mm Stainless Steel
850-2406936	60mm Stainless Steel



90° Thumbturn Insert Cylinder w/Crescent Knob



A	B	Part #	Finish
31.5	10	850-3142611	Resista Polished Brass
31.5	10	850-3141853	Antique Brass
31.5	10	850-3141829	Resista Brushed Chrome
31.5	10	850-3141861	Oil Rubbed Brass
31.5	10	850-3141837	Resista Satin Nickel

Rekeying Kits




Part #	Description
850-8785239	Standard - 100 cylinder capacity



Part #	Description
850-8785243	Mini-Kit - 10 cylinder capacity



Part #	Description
850-8785231	Key Blanks - Schlage® 5-Pin



Part #	Description
850-8750635	Blue Plastic Construction Key



Part #	Description
850-2426890	Construction Key

Multi-Point Locking System

The HLS9000 Stainless Steel Multipoint Locking System provides more than safety and security. It prevents the unwelcome intrusion of rust and corrosion. It can also keep your reputation from being tarnished by eliminating expensive service calls and any resulting loss of revenue.

Corrosion occurs for a variety of reasons. With other materials or finishes, such as yellow zinc dichromate, it can result from pollution in the air, a scratched surface or from the presence of moisture or salt - particularly in coastal regions. Stainless Steel provides excellent corrosion resistance from these in natural atmospheric conditions. It also provides an extra measure of protection from pitting and staining in more demanding locations such as industrial sites, areas of urban pollution and coastal regions. So to protect the quality of your product as well as your image, insist upon HLS9000



SHOOTBOLT
VERSION




ROLLER
VERSION



TONGUE
VERSION



ROUNDBOLT
VERSION




Screws for Wood Profiles



Part #	Length
850-8785687	25/32"
850-8785691	1-5/32"
850-8785695	1-3/8"
850-8785699	1-3/4"
850-8785703	1-3/8"

Stainless Steel

Manual/Tongue Shootbolt
Version



Automatic Four Roller
Version



Auto Release Strike

Auto Release Roller

1. The HOPPE® Multi-Point Locking System is a direct replacement for Fuhr Multi-Point Systems.
2. There are various sizes and combinations of these multi-point locking systems. Please fill out the questionnaire and fax it to our sales office to obtain part numbers, pricing and availability.

MULTIPOINT HARDWARE DOOR QUESTIONNAIRE

Customer Name: _____ Account Number _____

Contact: _____ Phone Number _____

1. Which do you see stamped on the thin edge of the metal face plate running up the entire door edge:
"FUHR" or "HOPPE®"? (This can be found in between the door latch and deadbolt area) _____
Also, what is the finish of this faceplate? ☐ Brass looking ☐ Stainless Steel
2. Is your door a Swing or Sliding Door? _____
3. What is the width across of this metal face plate? ☐ 5/8" (16mm) ☐ 25/32" (20mm)
4. Do you know who manufactured the door? How about the windows in your home? If so, please list the company: _____
5. Is this for a single door or a pair of doors (french doors)? _____
6. What is the door thickness: ☐ 1 3/4" (45mm) ☐ 2 1/4" (57.15mm) ☐ other: _____
7. What is the door panel height? (The door panel is the part that opens and closes) height: _____
8. What is the distance from the center of the door handle down to the bottom horizontal edge of the door (36" Standard)? _____
9. What is the distance from the center of the handle to the center of the thumbturn piece?
☐ 2-7/32" (56mm) ☐ 2-53/64" (72mm) ☐ 3-5/8" (92mm) ☐ other: _____
10. **BACKSET:** What is the distance from the center of the handle to the door edge (edge with the latch and deadbolt on it, not the edge with the hinges)?
☐ 1-3/8" (35mm) ☐ 1-3/4" (45mm) ☐ 2-3/8" (60mm) ☐ 2-3/4" (70mm)
11. **DEADBOLT THROW:** With the door ajar, measure how far out the deadbolt extends from the edge of the door: ☐ 1/2" ☐ 1"
12. Is this a "manual" or "automatic" door? Manual: Must first pull up on handles to operate the multipoint locks or Automatic: where the multi points engage on their own when you close the door? ☐ Manual ☐ Automatic*
***NOTE: Automatic version will have a small roller-like piece located approximately 7-8" above the latch. See pictures.**
13. Based on the accompanying pictures, please put an "x" by the multipoint system you have:
☐ Tongue Automatic ☐ Tongue/Shootbolt Manual
☐ Manual Tongue ☐ Roller/Shootbolt Manual
☐ 2-Roller Automatic ☐ Roundbolt Manual
☐ 2-Roller Manual ☐ Roundbolt/Shootbolt Manual
☐ 4-Roller Automatic ☐ Shootbolt Manual
☐ 4-Roller Manual ☐ Single Point Only: has a latch and deadbolt
14. If you have a tongue or roundbolt version, what is the distance from the center of the handle down to the bottom tongue or roundbolt position? ☐ 26-27/64" (671mm) ☐ 29-21/32" (753mm) ☐ other: _____
15. If you have a tongue or roundbolt version, what is the distance from the center of the handle up to the top tongue or roundbolt position? _____
16. If you have a roller version (2 or 4 roller, manual or automatic) what is the distance to each of the roller positions from the handle center location? _____


HTL Ultimate 2-D Hinge

Steel Reinforcements – Makes this new hinge the “Ultimate” with door systems.

- Corrosion Resistant – Specially coated components for improved durability and strength.
- Easy Adjustment – Set hinge has a vertical adjustment feature (+/- 2.5mm). Guide hinge has a horizontal adjustment feature (+/- 2mm).
- Maintenance Free Bearings – No oiling required.
- Security – Non-removable pin (NRP) available for increased security.

- Simple Door Preparation – Quick and easy one pass routing.
- Variety of Finishes – Available in finishes to match your HOPPE® handle sets.
- Designed to carry up to 165lbs. per door.
- Not to be used in commercial applications, especially not in conjunction with a door closer.

Set Hinge




Steel Set Hinges with Non-Removable Pin

Part #	Finish
850-8762439	Polished Brass
850-8762455	Polished Chrome
850-8762703	Brushed Chrome
850-8762487	White Powder Coat
850-8762519	Gold Powder Coat
850-2307831	Rustic Umber
850-8762535	Matte Black

Brass Set Hinges with Non-Removable Pin

Part #	Finish
850-8762655	Polished Brass
850-8762671	Antique Brass
850-2086311	Satin Nickel
850-2086354	Antique Nickel
850-8762687	Oil Rubbed Brass

Guide Hinge



Steel Guide Hinges with Removable Pin

Part #	Finish
850-8762435	Polished Brass
850-8762451	Polished Chrome
850-8762699	Brushed Chrome
850-8762483	White Powder Coat
850-8762515	Gold Powder Coat
850-2307823	Rustic Umber
850-8762531	Matte Black

Brass Guide Hinges with Removable Pin

Part #	Finish
850-8762651	Polished Brass
850-8762667	Antique Brass
850-2086303	Satin Nickel
850-2086346	Antique Nickel
850-8762683	Oil Rubbed Brass

Latch & Deadbolt Screws




Mounting Screws 2 Per Pack

3/4" Long	1-1/2" Long	Finish
850-2100785	850-2104381	Polished Brass/ Brushed Brass
850-2100793	850-2104399	Antique Brass
850-2100831	850-2104436	Brushed Chrome/ Satin Nickel

3/4" Long	1-1/2" Long	Finish
850-2100814	850-2104410	Polished Chrome/ Brushed Stainless Steel
850-2100822	850-2104428	Oil Rubbed Brass/ Matte Black
850-2100849	850-2104444	Antique Nickel

Swing Door Accessories


Single Point Gear Box



Part #	Backset	Deadbolt Throw
850-8778179	1-3/8"	1/2"
850-8778175	1-3/4"	1/2"
850-8778151	1-3/8"	1"
850-8777959	1-3/4"	1"
850-2881323	2-3/8"	1"
850-2881331	2-3/4"	1"

Latch & Deadbolt Strike


For 1-3/4" Door



Part #	Finish
850-8787715	Polished Brass
850-8787719	Antique Brass
850-8787735	Matte Black
850-8787723	Polished Chrome
850-8787727	Brushed Chrome
850-8787731	Oil Rubbed Brass
850-8787739	White Powder Coat
850-8787747	Stainless Steel
850-2127443	Satin Nickel
850-2127427	Antique Nickel

Curved Lip with Cylinder Hole and Non-Handed
Other Configurations Available


For 2-1/4" Door



Part #	Finish
850-2014019	Polished Brass
850-2014027	Stainless Brass
850-2014334	Oil Rubbed Brass
850-2014764	Brushed Chrome
850-2014781	Polished Chrome
850-2014799	White Powder Coat
850-2014801	Matte Black Powder Coat

Curved Lip with Cylinder Hole and Non-Handed
Other Configurations Available


Dust Cap



Part #	Finish
850-8786547	Black


For Latch and Deadbolt Strike
or Tongue Strike

Tongue Strikes




Part #	Finish
850-8784675	Brass
850-1964522	Stainless Steel
850-2121244	Oil Rubbed Brass

Curved Lip



Part #	Finish
850-2025181	Brass
850-2025199	Stainless Steel
850-2025842	Oil Rubbed Brass


Radius Lip



Part #	Finish
850-8784699	Brass
850-8784707	Stainless Steel
850-8786551	Antique Brass
850-8786559	Brushed Chrome
850-8784703	Oil Rubbed Brass
850-8786575	Matte Black
850-2127486	Satin Nickel

Flat


Shootbolt Strikes



Part #	Hand	Finish
850-8784095	LH	Brass
850-8784091	LH	Stainless Steel
850-2117325	LH	Oil Rubbed Brass
850-8784067	RH	Brass
850-8783923	RH	Stainless Steel
850-2117261	RH	Oil Rubbed Brass


Curved Lip Single Door

Shootbolt Strikes



Part #	Finish
850-2135259	Brass
850-2098911	Stainless Steel


Single Door



Part #	Finish
850-2135241	Brass
850-2098945	Stainless Steel


Double Door

Socket Strikes



Part #	Finish
850-8784663	Brass
850-8784667	Oil Rubbed Brass

3/4" Throw





Part #	Finish
850-2024962	Brass

1" Throw



574 Handle with 392 Plate

Accessories



Optional 374 Plate

Striker Plate Options Currently Available:
16mm (flatrail system) and 26mm (U-rail system)

Active with Cylinder							
	F71 Polished Brass	F73 Antique Brass	F41 Brushed Chrome	F49 Polished Chrome	F9010 White	F9714 Matte Black	F79 Oil Rub Brass
574/374	850-8763211	850-8763219	850-8764911	850-8763231	850-8763239	850-8771275	850-8764935
574/392	850-8763255	850-8763267	850-8763287	850-8763279	850-8763311	850-8771291	850-8763303
Inactive with Thumb-turn							
574/374	850-8765883	850-8765903	850-8764923	850-8763223	850-8763243	850-8771279	850-8764939
574/392	850-8763259	850-8763271	850-8763291	850-8763283	850-8763315	850-8771295	850-8763299
Dummy Sets							
574/374 LH EXT	850-8764507	850-8764515	850-8764523	850-8764531	850-8764555	850-8772347	850-8764539
574/374 RH EXT	850-8764511	850-8764519	850-8764527	850-8764535	850-8764559	850-8772351	850-8764543
574/392 LH EXT	850-8764451	850-8764459	850-8773199	850-8764475	850-8764499	850-8772355	850-8764483
574/392 RH EXT	850-8764455	850-8764463	850-8773203	850-8764479	850-8764503	850-8772359	850-8764487

LOCCA WIRELESS REMOTE CONTROL ENTRY DEVICES

Ideal for Assisted Living, Retirement Communities, ADA Required Access, Condos & Apartments, Housing Authorities, Gated Communities, Single Family Homes, Hotels, Motels, Resorts, Office Buildings and Retail Outlets. An affordable and simple remote control device for virtually everywhere.

The Locca Wireless Remote Control Entry devices use cutting edge technology that allow you to program up to 999 remotes to access a single entrance. The Locca units meet the requirements of ADA to achieve ease of access for all. The Locca's stylish design offers a more modern form of security for your home, community living or buildings that share one main entry. No more fumbling with your keys when you have heavy shopping bags, groceries or are holding a child. With the Locca Remote, one click and the door is unlocked! For new door installations, the Locca Electronic Device can be used in conjunction with a multi-point locking system for ultimate security. Remote Control Entry Systems are inevitable. We all use remotes to unlock our cars, so why not apply the same technology to open our homes and offices?


WIRELESS REMOTE CONTROL UNITS

Both Locca Remote Control Entry devices consist of a small unit that's installed on the inside of the property. It is plugged into a standard wall outlet. The unit is wired to the Electronic Strike and is operated with the wireless remote. One click of the button to unlock the door. It's as simple as that!

Locca Access Control Unit

56-1

The Locca ACCESS Unit is the electronic system that unlocks your door with a single click.



- Up to 19 remotes can be stored
- One-touch programming
- Range from up to 50 yards
- Rolling code technology
- No electrical expertise required (transformer plug included)
- Incredibly easy to install and use
- No training required
- Kit comes with 1 Red Programming Remote, 2 Lifestyle Remotes, 1 Electronic Latch Strike
- Can be upgraded with the wireless intercom system.



Locca Multi Control Unit

56-2

The Locca MULTI unit uses the same cutting-edge technology as the ACCESS unit to unlock your doors with a single click, but with additional benefits.



- Up to 999 remotes can be stored
- On Screen programming
- Range selection from 1.5 yards up to 50 yards
- Program individual offices in a large complex, w/ shared entrance
- Rolling code technology
- No electrical expertise required (transformer plug included)
- Durable and reliable
- Incredibly easy to install and use
- No training required
- Kit comes with 1 Red Programming Remote, 2 Lifestyle Remotes, 1 Electronic Latch Strike
- Can be upgraded with the wireless intercom system.



REMOTES & STRIKE

Lifestyle Remote Key

56-7

- Stylish design
- Key ring size
- Covered button
- Up to 50 Yard range



SureTouch Remote Key

56-6

- Designed especially for the elderly and disabled
- Yellow on black for the visually impaired
- Wrist and neck straps provided
- Low resistance button, easy to push
- Up to 50 yard range



Electronic Strike

56-9

Locca's systems have been designed to be totally versatile, to work with a variety of locks and accessories.



LOCCA WIRELESS INTERCOM SYSTEM

The Connecta Wireless Intercom System enables you to speak to a visitor with a single click of the handset. The Connecta is a great tool for homes as well as commercial buildings where it is necessary to identify guests prior to unlocking the door for them. Each Connecta Intercom Unit can take up to 6 portable handsets that can be placed on different floors of a home or other offices in a building. They can also be used as an internal intercom between handsets. The handsets have a range of up to 200 yards.

Intercom Transmitter Kit & Handheld Receiver

56-3

Remote Hand Held Receiver Only

56-8



COMBINATION WIRELESS REMOTE CONTROL ENTRY & INTERCOM SYSTEM

The Locca Combination Kits allow you to speak with and identify guests. Then using the same hand held unit, you can automatically unlock your door to allow access.

Intercom Transmitter Kit & Handheld Receiver w/Access Control Unit

56-4

Intercom Transmitter Kit & Handheld Receiver w/Multi Control Unit

56-5



Kit includes:

- 1 Portable Handheld Intercom
- 1 Base Unit for the Exterior of Building or Gate
- 1 Plug in for Power to the Base Unit
- 1 Recharging Cradle for the Handset and power cord
- 1 Access or 1 Multi Remote Control Entry Unit



Please contact your sales representative for information on using the Locca Wireless Remote Control Entry Device in conjunction with our multi-point locking systems.

TRU-LOCK MULTI-POINT LOCK SOLUTION FOR ENTRY DOORS

Convert Your Single Point Dead Bolt into a Multi-Point Locking System



56-161

Multi-Point Lock Conversion Kit
Includes 2 Stainless Steel Strikes,
Screws & Instructions

Kit Plate Cover

Kit Plate Cover Comes with 2 Strikes,
Multi-Point Plate and all necessary Screws


Part #	Finish
56-162	Brass
56-163	Oil Rubbed Bronze
56-165SNK	Satin Nickel



- Excellent Retro Fit for Schlage, Kwikset, Wiser
- Increased Home Security – Capable of Grade 40 per ASTM F476
- Compatible with top brand handle hardware allowing consumer wide selection of decorative handle choices
- Very intuitive function for homeowner – operates the same as standard deadbolts today
- Constructed from stainless steel and composite materials
- Works on steel, fiberglass, aluminum and wood doors
- Works with both standard 2-3/8" and 2-3/4" double bore backsets
- Easy installation, instructions included.



Swing Door Handle Sets



Used by Milgard, Marvin, Jeld Wen (Caradco), Cantera, Delta and PGT
All the above swing door trim sets are for a 1.7 (1-3/4") door. For 2.0 (2") door (used by PGT), you need to order a #16-483(color) 2" adapter kit.
(Includes longer screws, longer shaft and tailpiece).
Check for colors available for 2.0 (2") application.


Active (Shown) - Thumb Turn w/Key

Part #	Finish
55-101AB	Antique Brass
55-101BC	Brushed Chrome
55-101BRS	PVD Brass
55-101ORBZ	Oil Rubbed Bronze
55-101SNK	Satin Nickel
55-101PB	Polished Brass
55-101PC	Polished Chrome
55-101W	White

*Passive - No Thumb Turn, No Key


Part #	Finish
55-102AB	Antique Brass
55-102BC	Brushed Chrome
55-102BRS	PVD Brass
55-102ORBZ	Oil Rubbed Bronze
55-102SNK	Satin Nickel
55-102PB	Polished Brass
55-102PC	Polished Chrome
55-102W	White

* When Using the Passive Swing Door Trim Set as a Dummy Set You Need to Order a #16-482 Dummy Plate




Part #	"A"
39-713(Color)	3/8"
39-714(Color)	3/4"

Handle Extension




16-483(Color) 2" Adapter Kit



16-482 Dummy Plate

59-67 Tool

Prado Active Swing Door Handle Set



- Fits 2-1/8" Cross Bore on 6-3/32" Centers.
- Fits All Peachtree Prado Patio Doors
- Fits Right or Left Hand Doors

Part #	Finish
55-146AB	Antique Brass
55-146PB	Polished Brass
55-146CP	Chrome Plated

This lockset also can be used on older Prado doors with a 1-3/4" cross bore.


Peachtree



Handle of excellence.

Swing Door Handle Set

A Suitable Pella Replacement




Part #	Description
850-2422063	Active Handle Set (shown)
850-2422338	Inactive Handle Set

New Resista Brass Finish (F77-R)



Active Lever Handle Set (Shown) Thumb Turn w/Key

Part #	Finish
55-111BRS	Brass
55-111AB	Antique Brass
55-111BC	Brushed Chrome
55-111CP	Chrome Plated
55-111W	White



Inactive Lever Handle Set - No Thumb Turn, No Key


Part #	Finish
55-157BRS	Brass
55-157AB	Antique Brass
55-157BC	Brushed Chrome
55-157CP	Chrome Plated
55-157W	White

Swing Door Hardware

Swing Door Handle Sets



New Style Gear Box for Multi Point Systems



Part #	Hand
12-313PB	Shown
12-314PB	Opposite

Brass Strike

ALL SHOWN IN LOCKED POSITION

NOTE: If replacing an old style Gear Box (see the 2 listed as obsolete) with the New Style Gear Box (see 56-106 or 56-105 listed above) the door will need to be notched out 23/32", to accept the position of the New Style Gear Box. Also the Strike Plate needs to be lowered 23/32", to line up properly with the latch and Dead Bolt on the New Gear Box. Any questions please contact your sales Representative


Part #	Backset
56-106	35mm
56-105	45mm

Gear Box

INTERLOCK

ASSA ABLOY

1-1/2" Min / 1-49/64" Max



MILLTON 2-POINT LOCKSETS


Through innovative design - combined with rigorous testing - comes the comprehensive range of Interlock Millton narrow stile, mortise lever locks. Attractive, durable, easy to install and operate, Millton fits a wide range of applications, and is the perfect complement to today's architecture.

Features:

- Standard 2-Point
- Complete lockset without striker, and 30mm backset
- Stylish Verona handle
- C4 keyway (standard 5-pin)
- Concealed fixing on external escutcheon plate.
- Latch is deadlocked by key

Part #	Description
55-100W	White (Inside & Out)
55-100W/SCH	White (Inside) & Satin Chrome (Outside)

Eurogroove Stepped Router Bits



SBI #	MFG.	A	B	C	D
59-69S	Schlegel	1/8"	1/4"	3/4"	1"
59-69T	Truth	1/8"	13/32"	9/16"	51/64"
59-69GU	GU	3/32"	3/8"	31/64"	21/32"
59-69R	Roto- Frank	3/32"	23/64"	31/64"	5/8"
59-69	Hoppe	1/8"	23/64"	1/2"	5/8"
59-69W	Winkhaus	3/32"	23/64"	31/64"	51/64"
59-69W-1	Winkhaus	3/32"	23/64"	31/64"	41/64"