


ENCORE™ AWNING OPERATOR (SILL MOUNT)


FIG. 1 APPLICATION OF ENCORE AWNING OPERATOR
(SILL MOUNT VERSION)



26ee

E-mail Pictures to our Research Team at Info@DoorsWindowsHardware.com for FREE 24/7 Parts ID service

**FIG. 2 APPLICATION OF ENCORE AWNING OPERATOR CONTINUED
(SILL MOUNT VERSION)**



**11577.92
TRACK PLACEMENT**

HARDWARE SHOWN FOR LEFT HAND WINDOW, SEE FIG.1	
PART NUMBER	DESCRIPTION
51.10.00.X11	AWNING OPERATOR
11577.XX	TRACK ASSEMBLY
13.XX.XX.XXX	HINGE
12614.XX	TANGO HANDLE/COVER PACK
32658	GASKET (PVC)

NOTE:

1. HOLD THIS DIMENSION AS CLOSE TO THE MINIMUM AS MANUFACTURING TOLERANCES ALLOW. A CLOSE FITTING CUT-OUT HELPS TO STABILIZE THE OPERATOR AGAINST ROCKING

2. GASKET 32658 IS REQUIRED ON PVC AND METAL PROFILES FOR AN IMPROVED AIR AND WATER SEAL

3. ALL AWNING OPERATORS USE 12614.XX LEFT HAND TANGO HANDLE/COVER PACK

