


# WeFixItUSA

## Commercial Door Storefront Closers / Locks Hardware

### SWING, SLIDING & COMMERCIAL DOOR HARDWARE CATALOG




## HANDLES FOR PATIO SCREEN DOORS




Part #	Finish
14-151BR	Brown
14-151B	Black

Inside Screen Pull Handle, Brown




**12-308**  
Black Plastic  
**PEACHTREE**



**900-21646**  
Beige  
**PEACHTREE**




**14-51**  
Latch Assembly  
**ACORN**




**14-54S**  
Latch Assembly with Spring


## SLIDING GLASS &amp; SCREEN DOOR KEEPERs




**12-251**  
Chrome Plated  
**MILLER**




**Part #** **Finish**  
**12-214** Chrome  
**12-214B** Black




**12-211**  
Chrome Plated  
Narrow




**12-205**  
Chrome Plated  
**CROSSLY**




**12-216**  
**DARYL**




**12-303**  
Escutcheon Plate Black Plastic  
**MILLER**




**900-8856**  
Die Cast Keeper for 900-9169




**12-299W**  
White




**Part #** **Finish**  
**12-290W** White  
**12-290AD** Almond




**900-69**  
Die Cast  
**YALE OGRON**




**12-286W**  
White, Four Slot




**12-294**  
Yellow Chromate Plated  
**PGT**



**900-17355**  
Die Cast  
**PEACHTREE**



**12-271**




**Part #** **Finish**  
**12-272** Steel  
**12-272SS** Stainless Steel

Flat. For 13-247 & 13-248 Patio Door Handles


# SLIDING DOOR HARDWARE

## SLIDING GLASS & SCREEN DOOR KEEPERS




Part #	Finish
12-319	Dichromate
12-319SS	Stainless

13/64" x 11/16" Elongated Holes




Part #	Finish
12-329STW	Satin White
12-329TN	Tan


Strike Plate. Used with 16-542  
**MILGARD**



**900-22553SS**  
Surface Keeper. Stainless Steel  
**PGT**




Part #	Description
16-100	for 1" Door
900-21366	for 1-1/4" Door




**16-126**  
Key Cylinder

13/64" x 11/16" Elongated Holes

Key Cylinder Lock




**16-133**  
Key Cylinder Lock




**16-189**  
Key Cylinder




**16-103**  
Key Cylinder for 1-1/8" Door




**900-11179**  
Key Cam  
**PEACHTREE**




**16-324**




**16-617SV**  
Lock Housing and Key  
**PGT**




**16-499PB**  
Key Cylinder Lock w/ThumbTurn  
Polished Brass. Schlage Keyway




**19-881PB**  
Polished Brass  
**PAPAIZ**




**19-777PB**  
Single Cylinder Deadbolt.  
Polished Brass




**16-170**  
Square Face




**16-171**  
Round Face




**16-173**  
Square Face



**16-174**  
Round Face




**16-175**  
Round Face




**16-490**  
Single Point Slider Lock














## MORTISE LOCKS

Amesbury  
Truth

Part #	Description
16-397SS	Stainless Steel
16-397	Clear Chromate




750-1997156

16-142  
Used for Surface Mounted  
Patio Door Handle900-7305  
Flush Button. Front Surface  
Mounted Steel Hook  
PEACHTREE16-673  
Raised Button. Front Surface  
Mounted Steel Hook  
PEACHTREE900-18867  
Diagonal Hub. Aluminum Finish  
Use: 900-14560 for Keeper  
TRACO900-9169A  
Includes Keeper16-443  
Mortise Lock and Plate  
FIBERLUXPart # "A"  
16-441-45 45° (Shown)  
16-441 90°  
Pocket Trim Plate with 16-175.  
Brass Plated  
MALTA/SUNVIEWPart # Finish  
16-363-45 Brass Plated  
16-363-45SS Stainless Steel  
With Faceplate and 16-17516-395  
Heavy Duty Die Cast  
Non-Handed, Reversible For Left  
or Right Hand Application19-765BRS  
Brass. With FaceplatePart # Finish  
16-574 Steel  
16-574SS Stainless Steel  
Dual Hook Mortise Lock  
AMESBURY/  
FLORIDA EXTRUDEDPart # Finish  
16-453 Steel  
16-453SS Stainless Steel  
Two Point Mortise Lock w/ Short  
Face Plate.  
Center Latch ThumbtumPart # Finish  
16-455 Steel  
16-455SS Stainless Steel  
Two Point Mortise Lock w/ Short  
Face Plate.  
Offset Latch Thumbtum

# SLIDING DOOR HARDWARE

## MORTISE LOCKS


Amesbury Truth



Part #	Finish
16-680	Steel
16-680SS	Stainless Steel

No Trimplate  
**GEMINI I & II**

Amesbury Truth



Part #	Finish
16-454	Steel
16-454SS	Stainless Steel

Two Point Mortise Lock w/ Long Face Plate. Center Latch Thumbtum


Amesbury Truth



Part #	Finish
16-456	Steel
16-456SS	Stainless Steel

Two Point Mortise Lock w/ Long Face Plate. Offset Latch Thumbtum

Amesbury Truth



Part #	Description
16-462	Steel
16-462SS	Stainless Steel

Two Point Mortise Lock w/ Recessed Face Plate. Center Latch Thumbtum

Amesbury Truth




Part #	Description
16-463	Steel
16-463SS	Stainless Steel


Two Point Mortise Lock w/ Recessed Face Plate. Offset Latch Thumbtum

Amesbury Truth


Amesbury Truth



**16-685**  
Multi Point




**16-542**  
Milgard Classic Series




Part #	Finish
19-504B	Black
19-504G	Green
19-504PY	Putty
19-504TN	Tan
19-504W	White

Storm Door Mortise Lock


Roto



**16-460**  
2-Point Patio Door Lock




**16-333**  
PEACHTREE




Part #	Description
16-452	White
16-452SS	Stainless Steel

2pt Lock with Faceplate  
**GEMINI/ PGT**




Part #	Finish
16-680FK	Steel
16-680FKSS	Stainless Steel


Flat Keeper  
**GEMINI I & II**



**16-440W**  
With Trimplate  
**LOUISIANA PACIFIC**



**900-17354P**  
Pocket Trimplate. Zinc  
Dichromate  
**AMESBURY**



**16-444**  
Trimplate

## SECURITY HARDWARE &amp; PATIO DOOR LOCKS


**Charley-BAR™**  
Safety Lock

**NEW STEEL  
SAFETY KEY  
LOCK**

- Key hangs neatly out of your way when not in use
- Comes with all necessary hardware and instructions
- Available in three lengths, three finishes and three packages
- Anodized Aluminum construction allows it to be cut to fit any size door
- New security feature: Improved black plastic saddle now takes a key so that the bar cannot be raised from the outside by wires or other devices
- New saddle keeps small children from opening the door from the inside


**Makes Sliding Glass  
Doors Jimmy-Proof!**


16-108H

Charley Bar Hardware Pack includes plastic saddle, rubber cap, four #8 1/2" sheet metal screws and metal angle bracket



BULK - 25 per carton

Part #	Size	Finish
16-108	48"	Mill
16-108B	48"	Bronze
16-108W	48"	White
16-108-60	60"	Mill

**Mailing TUBE - 50 per carton  
sold in carton qty only**

Part #	Size	Finish
16-108T	48"	Mill
16-108TB	48"	Bronze
16-108TW	48"	White

**Carded - 10 per carton sold  
in carton qty only**

Part #	Size	Finish
16-108C	48"	Mill
16-108CB	48"	Bronze
16-108CW	48"	White

Poly Bagged - 50 per Box

Part #	Size	Finish
16-108P	48"	Mill

## SECURITY LOCK


**Security Lock**

for both sliding glass doors and windows

MADE OF UNBREAKABLE  
LEXAN

Super Holding Power


Installs Without Tools



- Installs quickly without special tools.
- 3-M special adhesive bonds to glass like a weld
- Provides positive locking protection.
- Secures both sections firmly.
- Unbreakable GE Lexan.
- Crystal-clear transparency.


**16-192**

Sold in Pairs



## Glass Door Installation:

Position both Security Locks within 12 inches of top and bottom on outer door flush against inner frame.




Sash Window Installation:  
Position one Security Lock flush in lower corner of top window.

## SECURITY LATCH

**NARROW FOR EXTRA TIGHT CORNERS**

Where moldings and jams are narrow and mounting space is limited; 3/4" shackle width.



**"A" Dimension**  
equals exact center to center measurement

- Simple to install
- Very easy to use
- Attractive finishes
- Prevents accidental locking

**STANDARD FOR MOST CORNER APPLICATIONS**

Where ample mounting space is provided;  
1-1/4" shackle width.

Part #	Finish	"A"
16-186	Nickel	1-7/16"
16-186B	Black	1-7/16"
16-186BR	Brass	1-7/16"
16-186W	White	1-7/16"


- Can be used on windows too
- Assures snug closure of door
- All mounting hardware included
- Reversible (Works left to right or right to left)
- Latch serves as convenient handle for door
- Makes handy latch for all regular swinging doors
- Mounts anywhere along frame for easy accessibility
- Presently being used by the hospitality industry nationwide
- Sturdily constructed (Handle made from 9/32" steel rod stock)

**WIDE FOR OFFSET MOUNTING**



Where reaches require wider shackle to bridge wide gaps between jams and moldings to wall; 2" shackle width.

Part #	Finish	"A"
16-187	Nickel	2-1/8"
16-187B	Black	2-1/8"
16-187BR	Brass	2-1/8"
16-187W	White	2-1/8"


## SECURITY HARDWARE &amp; PATIO DOOR LOCKS

**16-104**

Burglar Pin/Nite Lock

**16-431**Burglar Pin/Nite Lock  
Aluminum Finish**900-1099**

Travel Lock




Part #	Finish
16-225C	Chrome
16-225PB	Brass

Door Guard

**50-682**



# SLIDING DOOR HARDWARE

## SECURITY HARDWARE & PATIO DOOR LOCKS



**50-636**


Used on Doors and Windows to Provide Extra Security.



**900-10574**


Snap-on Vent Lock

Part #	Finish
900-17508	Black
900-17508A	Aluminum




Part #	Finish
900-9718W	White
900-9718	Black

Heavy Duty Die Cast.  
1-1/4" Hole Center. Includes  
2 Keebar, 2 Ferrules and  
Installation Screws



Part #	Finish
16-177	Aluminum
16-177B	Black


**Amesbury Truth**



Part #	Finish
16-209-1	Bronze
16-209-3	White


Secondary Patio Lock  
Screws Sold Separately

**Amesbury Truth**



Part #	Finish
12-264-1	Bronze
12-264-3	White


**Amesbury Truth**




Part #	Finish
16-211-1	Bronze
16-211-3	White

Wingless Patio Lock  
Screws Sold Separately


**Amesbury Truth**




Part #	Finish
12-265-1	Bronze
12-265-3	White



**16-682**  
Mill Finish w/ 2 Keys  
Pin Length 3/4"



**900-8734**  
Aluminum




**16-687**  
Security Lock. Aluminum


**Anderson**




**750-1997192**  
Two Panel Screen Door Lock  
Stone



**16-406**  
Aluminum Flip Lock




**16-183**  
Fixed Panel Clip



**19-793PB**

Flush Bolt. Polished Brass




### Patio Door Bolts

Part #	Finish
16-695W	White
16-695B	Black

w/ Key (Shown)

No Key  
**TRACO/EMTEK**

### PATIO DOOR HANDLE TAILPIECE



Part #	Description	Dim "A"	Color
16-130-078	Super Short Tail	25/32"	Clear
16-130-091	Short Tail	29/32"	Black
16-130-097	Intermediate Tail	31/32"	Olive
16-130-103	Standard Tail	1-1/32"	Yellow
16-130-121	Long Tail	1-13/64"	Clear
16-130-127	Extra Long Tail	1-17/64"	Black
16-130-140	Super Long Tail	1-13/32"	Yellow

## MORTISE LOCKS

## DEADLATCH



Specify RH or LH  
(LH Shown)

## DEADBOLT



Non Handed

## HOOKBOLT



Non Handed

## SPECIFICATIONS

- Function: Deadbolt, Hookbolt, Deadlatch
- Backset: 31/32", 1-1/8", 1-1/2"
- Face Plate: 1"W x 6-7/8" L - Aluminum
- Case Dimensions: 7/8"W x 6" L x Depth specific to backset
- Latchbolt: Deadbolt - 5/8"W x 2-7/8" L x 1-3/8" throw  
Hookbolt - 5/8"W x 1-3/8" L x 13/16" throw  
Deadlatch - 1/2"W x 1.0" L x 1/2" throw
- Deadlatches: Zinc alloy latchbolt with Delrin plastic insert, auxiliary bolt zinc die cast, deadlocks latchbolt and prevents manipulation

Part #	Hand	Function	Lock Backset	Case Depth
19-411LH	LH	Deadlatch	31/32"	1-5/8"
19-411RH	RH	Deadlatch	31/32"	1-5/8"
19-401LH	LH	Deadlatch	1-1/8"	1-25/32"
19-401RH	RH	Deadlatch	1-1/8"	1-25/32"
19-435	Non-Handed	Deadbolt	31/32"	1-5/8"
19-403	Non-Handed	Deadbolt	1-1/8"	1-25/32"
19-436	Non-Handed	Hookbolt	31/32"	1-5/8"
19-402	Non-Handed	Hookbolt	1-1/8"	1-25/32"
19-405	Non-Handed	Hookbolt	1-1/2"	2-1/4"

## FACEPLATES



Flat



LH Bevel



RH Bevel




Radius




Radius with  
Weather-strip




## APPLICABLE DOOR STILES



Radius



Flat



Bevel

Faceplates for Mortise Lock with Deadbolt

Part #	Door Stile	Finish
19-432	Flat	Aluminum
19-432DBZ	Flat	Bronze
19-420	LH Bevel	Aluminum
19-420DBZ	LH Bevel	Bronze
19-421	RH Bevel	Aluminum
19-421DBZ	RH Bevel	Bronze
19-416	Radius	Aluminum
19-416DBZ	Radius	Bronze
19-423	Radius w/Weather-strip	Aluminum
19-423DBZ	Radius w/Weather-strip	Bronze

Faceplates for Mortise Lock with Hookbolt

Part #	Door Stile	Finish
19-433	Flat	Aluminum
19-433DBZ	Flat	Bronze
19-418	LH Bevel	Aluminum
19-418DBZ	LH Bevel	Bronze
19-419	RH Bevel	Aluminum
19-419DBZ	RH Bevel	Bronze
19-417	Radius	Aluminum
19-417DBZ	Radius	Bronze
19-422	Radius w/Weather-strip	Aluminum
19-422DBZ	Radius w/Weather-strip	Bronze

Faceplates for Mortise Lock with Deadlatch

Part #	Door Stile	Finish
19-434	Flat	Aluminum
19-434DBZ	Flat	Bronze
19-413	LH Bevel	Aluminum
19-413DBZ	LH Bevel	Bronze
19-414	RH Bevel	Aluminum
19-414DBZ	RH Bevel	Bronze
19-412	Radius	Aluminum
19-412DBZ	Radius	Bronze
19-415	Radius w/Weather-strip	Aluminum
19-415DBZ	Radius w/Weather-strip	Bronze

# COMMERCIAL DOOR/STOREFRONT HARDWARE

## PUSH/PULL PADDLE




For use with 19-401 and 19-411 deadlatch or any other brand of narrow stile mortise deadlatch. Paddle is four way reversible, select application required by referring to chart below. Handing can be reversed on cam plug by removing C- clip and flipping the cam over and reinstalling C- clip.

### SPECIFICATIONS


- Paddle: Extruded aluminum
- Housing: Zinc alloy, black hard coat finish
- Operating assembly: Steel mechanism
- Hand: Non-handed, cam plug included - Reversible
- Standard package: Paddle arm, operating housing, binder posts, cam plug, self adhesive decals and mounting hardware.

### UNIVERSAL - 4 WAY REVERSIBLE

Type	Operation	Use
PULL - LH		Outside of left hand reverse door or inside of right hand
PUSH - LH		Outside of left hand door or inside of right hand reverse
PULL - RH		Outside of right hand reverse door or inside of left hand
PUSH - RH		Outside of right hand door or inside of left hand reverse




## LEVER HANDLE



For use with 19-401 and 19-411 deadlatch or any other brand of narrow stile mortise deadlatch. Lever is reversible. Handing can be reversed on cam plug by removing C- clip and flipping the cam over and reinstalling C- clip. Cam plug is secured to lever by 2 hardened steel pins. Cam plug locks into deadlatch by use of set screw in deadlatch.

### SPECIFICATIONS

- Lever: Aluminum alloy cast
- Escutcheon: Aluminum 1-3/8" x 4", heavy duty spring mechanism prevents sagging of lever handle
- Spindle: Wrought steel, 1/4" square hardened heat treated
- Hand: Non-handed easily reversible
- Operation: Turning lever downward will activate deadlatch
- Standard package: Cam plug included, all mounting screws, templates and installation instructions



Part #	Finish
19-428	Aluminum
19-428BZ	Bronze

## STRIKES

Part #	Description	Finish
19-570	Single Strike	Aluminum
19-571	Double Strike	Aluminum

Both strikes are for use with 19-401 and 19-411 deadlatch or any other brand of narrow stile mortise deadlatch. Order double strike when converting a narrow stile lock to a deadlatch, to cover elongated slot in aluminum frame.



Single Strike



Double Strike

## CYLINDERS/TRIM RINGS/ COLLARS

## Mortise Cylinder

Part #	Description	Finish	Material
19-573	Key Cylinder (Keyed Alike in Pairs)	Aluminum	Zinc
19-573BZ	Key Cylinder (Keyed Alike in Pairs)	Bronze	Zinc
19-410	Key Cylinder (Keyed Different)	Aluminum	Zinc
19-410BZ	Key Cylinder (Keyed Different)	Bronze	Zinc
19-755	Key Cylinder (Keyed Different)	Aluminum	Brass
19-755BZ	Key Cylinder (Keyed Different)	Bronze	Brass
19-572	Key Cylinder (Keyed Alike)	Aluminum	Zinc
19-572BZ	Key Cylinder (Keyed Alike)	Bronze	Zinc
19-409	Thumbturn Cylinder	Aluminum	Zinc
19-409BZ	Thumbturn Cylinder	Bronze	Zinc
19-408	Dummy Cylinder	Aluminum	Zinc
19-408BZ	Dummy Cylinder	Bronze	Zinc



Keyed Mortise Cylinder



Thumbturn Mortise Cylinder



Dummy Mortise Cylinder



Keyed Rim Cylinder

## Rim Cylinders

Part #	Description	Finish	Material
19-568	Keyed Rim Cylinder	Aluminum	Brass
19-568BZ	Keyed Rim Cylinder	Bronze	Brass

Part #	Description	Finish
19-565	Extruded Trim Ring 5/16" (Solid)	Aluminum
19-565BZ	Extruded Trim Ring 5/16" (Solid)	Bronze
19-566	Extruded Trim Ring 5/16" (Hollow)	Aluminum
19-566BZ	Extruded Trim Ring 5/16" (Hollow)	Bronze
19-567	Cylinder Guard Anti-Wrench Collar	Aluminum
19-567BZ	Cylinder Guard Anti-Wrench Collar	Bronze



Extruded Trim Ring (Solid)



Stamped Trim Ring (Hollow)




Cylinder Guard Anti-Wrench Collar

## FLUSH BOLT


Mortise flush bolt for use on all commercial storefront and architectural aluminum and glass narrow stile door. Made for easy installation, replaces most brands of storefront flush bolt.

## SPECIFICATIONS

- Spring loaded lever action
- Rod extension- 7/8" throw
- Backset 3/4"
- 5/8" adjustment on rod length
- Face plate dimensions 15/16" x 4-1/2" with 5/32" radius corner
- Square 1/2" nylon tip with beveled corners to prevent binding
- Supplied with nylon keeper and fasteners



Part #	A	Rod Length	Finish
19-426	1/8"	10"	Aluminum
19-426BZ	1/8"	10"	Bronze
19-427	1/4"	10"	Aluminum
19-427BZ	1/4"	10"	Bronze
19-569	1/8"	16"	Aluminum
19-569BZ	1/8"	16"	Bronze



Part #	Description
56-144W	Set
56-142W	Flush Bolt
56-143	SS Rod



TRACO/SECURITY


# COMMERCIAL DOOR/STOREFRONT HARDWARE

## 3/4" OFFSET PIVOT




Offset Pivots are used for both flush face frame installation and recessed door applications. Pivots replace most major door manufacturers. Suitable for aluminum doors weighing up to 125 pounds. These pivots are engineered and designed for durability, style and are easy to install. To order pivot: For LHRB door order RH pivot. For RHRB door order LH pivot

### Left Hand Outswing (LH)



### Right Hand Outswing (RH)



### SPECIFICATIONS

- 3/4" offset pivots for aluminum doors and frames
- Weather resistant
- Aluminum case construction
- Vertical adjustment 1/8"
- Full race ball bearing and design, provides smooth operation on bottom pivot door portion
- No sag, entire weight of doors rests on floor mounted pivot portion
- Completely tamper proof, yet easily removable, replaceable in unlocked position

## ARCH/VISTAWALL/TUBELITE/ARCADIA STYLE



Left Hand Shown

Part #	Application	Hand	Finish
19-259LH	1/8" Recessed Door	LH	Aluminum
19-259RH	1/8" Recessed Door	RH	Aluminum
19-259LHBZ	1/8" Recessed Door	LH	Bronze
19-259RHBZ	1/8" Recessed Door	RH	Bronze
19-736LH	For Flush Face Frame	LH	Aluminum
19-736RH	For Flush Face Frame	RH	Aluminum
19-736LHBZ	For Flush Face Frame	LH	Bronze
19-736RHBZ	For Flush Face Frame	RH	Bronze

Includes Screws

## PITCO/PPG STYLE



Right Hand Shown

Part #	Application	Hand	Finish
19-734LH	3/32" Recessed Door	LH	Aluminum
19-734RH	3/32" Recessed Door	RH	Aluminum
19-734LHBZ	3/32" Recessed Door	LH	Bronze
19-734RHBZ	3/32" Recessed Door	RH	Bronze

Includes Screws

## AMARLITE/REBCO STYLE



Right Hand Shown

Part #	Application	Hand	Finish
19-255LH	1/8" Recessed Door	LH	Aluminum
19-255RH	1/8" Recessed Door	RH	Aluminum
19-255LHBZ	1/8" Recessed Door	LH	Bronze
19-255RHBZ	1/8" Recessed Door	RH	Bronze

Includes Screws

# COMMERCIAL DOOR/STOREFRONT HARDWARE

## 3/4" OFFSET PIVOT

### ALDORA/ARCH STYLE



Right Hand Shown

Part #	Application	Hand	Finish
19-406LH	1/8" Recessed Door	LH	Aluminum
19-406RH	1/8" Recessed Door	RH	Aluminum
19-406LHBZ	1/8" Recessed Door	LH	Bronze
19-406RHBZ	1/8" Recessed Door	RH	Bronze

Includes Screws

### US ALUM STYLE



Left Hand Shown

Part #	Application	Hand	Finish
19-735LH	1/8" Recessed Door	LH	Aluminum
19-735RH	1/8" Recessed Door	RH	Aluminum
19-735LHBZ	1/8" Recessed Door	LH	Bronze
19-735RHBZ	1/8" Recessed Door	RH	Bronze

Includes Screws

### KAWNEER STYLE




Right Hand Shown

Part #	Application	Description	Hand	Finish
19-424T	1/8" Recessed Door	Top	-	Aluminum
19-424TBZ	1/8" Recessed Door	Top	-	Bronze
19-424LH	1/8" Recessed Door	Bottom	LH	Aluminum
19-424RH	1/8" Recessed Door	Bottom	RH	Aluminum
19-424LHBZ	1/8" Recessed Door	Bottom	LH	Bronze
19-424RHBZ	1/8" Recessed Door	Bottom	RH	Bronze

Includes Screws

### KAWNEER/BESAM STYLE



Non-Handed

Part #	Application	Hand	Finish
19-737	1/8" Recessed Door	Non-Handed	Aluminum
19-737BZ	1/8" Recessed Door	Non-Handed	Bronze
19-258	For Flush Face Frame	Non-Handed	Aluminum
19-258BZ	For Flush Face Frame	Non-Handed	Bronze

Includes Screws

### OFFSET ALUMINUM PIVOT



Right Hand Shown

Part #	Hand	Finish
19-612RH	Shown	Aluminum
19-612LH	Opposite	Aluminum
19-612RHBZ	Shown	Bronze
19-612LHBZ	Opposite	Bronze

YKK

### INTERMEDIATE ALUMINUM PIVOT



Non-Handed

Part #	Finish
19-404	Bronze
19-404AL	Aluminum

Non-Handed  
ARCH ALUMINUM



Non-Handed

Part #	Finish
19-407	Bronze
19-407AL	Aluminum

Non-Handed  
KAWNEER

# COMMERCIAL DOOR/STOREFRONT HARDWARE

## STAINLESS STEEL BUTT HINGES



### SPECIFICATIONS

- 4-1/2" x 4"
- Square Corner
- Ball Bearing
- Non Removable Pin
- Button Tip
- Packed & Sold in Sets of 3

Part #	Finish
8-474SSBN	Brushed Nickel
8-474SS	Brushed Chrome

Per Set of 3

## DELUXE HINGE KIT



### KIT CONTAINS



- (2) Roto Pin Hinges
- (12) One-Way Screws
- (4) Cover strips
- (1) Allen Wrench for vertical adjustment
- (2) 1/8" shims for Flush Door Application
- (1) Instruction Sheet

Deluxe Hinge Kits are the ideal choice for multiple application door solutions, when existing hardware fails. A quick and easy fix for any compromised opening.

### SPECIFICATIONS


- For commercial doors up to 500 lbs.
- Non handed full surface applications
- Made from high-tensile aluminum alloy
- Self-lubricating pin rotates on anti-friction bearings
- Hinges securely fastened with tamper proof screws
- Vertical adjustment screw
- Weather resistant
- Doors easily serviced without removal of hinge pin, lift off
- Packed and sold in pairs

1:2



Part #	Finish	Hand
56-141RH	Mill	Shown
56-141LH	Mill	Opposite
56-141RHW	White	Shown
56-141LHW	White	Opposite
56-141RHBZ	Bronze	Shown
56-141LHBZ	Bronze	Opposite

TRACO/SECURITY



Part #	Hand
56-145LHW	Shown
56-145RHW	Opposite

White


TRACO/SECURITY

## CONTINUOUS HINGES

- Available in full mortise and surface mount
- 6063 T6 Aluminum alloy, with interlocking extrusions
- Non-handed design
- 83" length
- Standard duty with 16 thrust type self-lubricating concealed bearings per hinge

- 200 lb. max weight capacity
- High degree of security
- Anodized aluminum after machining
- Through bolt and machine screws fixing
- Template hole patterns
- Minimum 5 Hinges Required or Combination


### Full Mortise Type



#### FEATURES

- Full mortise type
- Flush mount
- Each hinge leaf has an alignment stop
- 1/4" clearance between door and frame

Part #	Finish
8-640	Aluminum
8-640BZ	Bronze




#### FEATURES

- Full mortise type
- 1/16" door offset
- Door edge guard
- 5/16" clearance between door and frame

Part #	Finish
8-641	Aluminum
8-641BZ	Bronze


### Full Surface Type



#### FEATURES

- Full surface continuous hinge
- For narrow (limited) frame applications
- Tamper resistant removable door leaf cover
- 1/32" clearance between door and frame

Part #	Finish
8-639	Aluminum
8-639BZ	Bronze




#### FEATURES

- Full surface continuous hinge
- 1/32" door panel offset
- Tamper resistant removable door leaf cover
- 1/16" clearance between door and frame

Part #	Finish
8-638	Aluminum
8-638BZ	Bronze

## DOOR CLOSERS



## FEATURES



- Surface mounted interior and exterior
- Size 3 is used on 3 ft. Wide interior door or 2-1/2 ft. Wide exterior door.
- Size 4 is used on 4 ft. Wide interior door or 3 ft. Wide exterior door.
- Non-handed
- Permanent lubricating hydraulic fluid
- Easy, smooth action
- Housing made of non-corroding aluminum.
- Narrow design is perfect for aluminum, glass, wood and other modern doors.

Part #	Size	A	B	C	D	Finish
18-70	#3	3/4"	1-3/4"	8-3/16"	8-15/16"	Aluminum (Silver)
18-72	#3	3/4"	1-3/4"	8-3/16"	8-15/16"	Bronze (Gold)
18-74	#3	3/4"	1-3/4"	8-3/16"	8-15/16"	Duranodic (Dk. Brown)
18-68	#4	3/4"	1-3/4"	9-1/16"	9-13/16"	Aluminum (Silver)
18-69	#4	3/4"	1-3/4"	9-1/16"	9-13/16"	Bronze (Gold)
18-73	#4	3/4"	1-3/4"	9-1/16"	9-13/16"	Duranodic (Dk. Brown)

## Dimensions for Closers with Backcheck Feature

Part #	Size	A	B	C	D	Finish
18-70BC	#3	3/4"	1-3/4"	8-3/16"	8-15/16"	Aluminum (Silver)
18-68BC	#4	3/4"	1-3/4"	9-1/16"	9-13/16"	Aluminum (Silver)


## POWER ADJUSTABLE CLOSER WITH BACK CHECK OR DELAYED ACTION



Opening	Dim. "A"
To 120°	7-3/32"
120° - 180°	3-15/16"
Part #	Finish
18-88	Aluminum (Silver)


**ANSI GRADE 1  
A - 156.4 STANDARDS  
APPLICABLE**

## DOOR STOPS



Part #	Color
19-136	Brass
19-137	Aluminum

5" Drop Down Door Stop





Part #	Color
19-135	Brass
19-138	Aluminum



**19-267**


Heavy Duty Floor Mount Door Stop. Cast Aluminum. 3" Projector with 2-1/8" Base Plate. 3 Hole Surface Mount. Furnished with Screws



Part #	Finish
19-134	Gray


Rubber Grommet

## DOOR SILENCER




Part #	Color
19-140	Stainless Brushed

Screw mount, 2-1/2" diameter with gray vinyl bumper, concealed screw mount. Concave face to fit interior lock button. Furnished with anchor and screw.



Part #	Color
19-141	Brushed Satin

Zinc Die Cast, Low Profile Door Stop. 1-3/4" Base, 1" Height, 1/8" Clearance.



Part #	Color
19-139W	White
19-139	Gray

Adhesive backed, 1-7/8" diameter, gray rubber, peel-off label, pressure sensitive backed.

# COMMERCIAL DOOR/STOREFRONT HARDWARE

## EXIT DEVICES

### SURFACE VERTICAL ROD

Our Surface Vertical Rod panic device is the perfect choice for double doors without mullions. Reversible for right or left hand doors, they are ideal for new construction or renovations. Our panics can be used in conjunction with any of our exit device trims.



Grade - ANSI A156.3 Grade 2

Part #	Finish
19-732	Aluminum
19-732BZ	Bronze
19-732SS	Stainless Steel

### FIRE RATED (3 HOURS)

Part #	Finish
19-733	Aluminum
19-733SS	Stainless Steel

### FEATURES

- MATERIAL:** Extruded anodized aluminum push bar, stainless steel springs
- LATCH:** Top Pullman type, Bottom bolt assembly
- DOOR HEIGHT:** 7' standard
- BACKSET:** 2 3/4" on 4 1/2" minimum stile width - if less than 4 1/2" backset becomes half of the exposed stile width
- STRIKE:** Top-surface mounted, Bottom-flat mortise or into threshold, vertical/rim application use DBLST double dr. strike
- PROJECTION:** 2 1/2" – 1 7/8" dogged

- STILE:** 4 1/2" minimum
- HANDING:** Reversible, non-handed
- DOOR THICKNESS:** 1 3/4" standard
- DOOR WIDTH:** 36", can be field sized to 30"
- MOUNTING HEIGHT:** Recommended installation at 41" from finished floor to center line of push rail.
- FASTENERS:** Furnished with sheet metal and machine screws
- CYLINDER NOT INCLUDED:** Rim Cylinders and trim plates shown on page 384
- DOGGING:** 1/2 turn hex key



### Exit Device Trims

Night Latch Handle Set		Dummy Handle Set		Entry Handle Set		Exit Only Plate	
Part #	Finish	Part #	Finish	Part #	Finish	Part #	Finish
19-752	Aluminum	19-753	Aluminum	19-1038AL	w/Cylinder	19-751	Aluminum
				19-1035AL	no Cylinder		

Aluminum Finish



Entry Lever		Storeroom Lever		Passage Lever		Entry Ball	
Part #	Finish	Part #	Finish	Part #	Finish	Part #	Finish
19-604AL	Aluminum	19-619AL	Aluminum	19-618AL	Aluminum	19-1034AL	Aluminum

### TOUCH BAR

"Touch bar" style exit devices are suitable for all doors (aluminum, hollow metal, or wood) where there is no projection on the face. Manufactured of extruded anodized aluminum, the touch bar is durable enough for the most demanding applications. A rim cylinder is included.

Grade - ANSI A156.3 Grade 2


Part #	Finish
19-730	Aluminum
19-730BZ	Bronze
19-730SS	Stainless Steel

### FIRE RATED (3 HOURS)

Part #	Finish
19-731	Aluminum
19-731BZ	Bronze
19-731SS	Stainless Steel

### FEATURES

- MATERIAL:** Extruded anodized aluminum push bar, stainless steel springs
- LATCH:** Stainless Steel, 3/4" throw - 5/8" deadlatch
- BACKSET:** 2 3/4" Covers 161 prep, includes latch & Strike filler plates
- STRIKE:** Surface mounted for 5/8" stop with shim
- PROJECTION:** 2 1/2" – 1 7/8" dogged
- STILE:** 4 1/4" minimum
- HANDING:** Reversible, non-handed
- DOOR THICKNESS:** 1 3/4" standard
- DOOR WIDTH:** 36", can be field sized to 30"
- MOUNTING HEIGHT:** Recommended installation at 41" from finished floor to center line of push rail.
- FASTENERS:** Furnished with sheet metal and machine screws
- DOGGING:** 1/2 turn hex key



### Exit Device Trims

Rim Cylinder		Pull Trim		Dummy Pull Trim	
Part #	Finish	Part #	Finish	Part #	Finish
19-568	Aluminum	19-749	Aluminum	19-750	Aluminum
19-568BZ	Bronze				

Aluminum Finish

Entry Ball		Entry Lever		Storeroom Lever		Passage Lever	
Part #	Finish	Part #	Finish	Part #	Finish	Part #	Finish
19-1034AL	Aluminum	19-604AL	Aluminum	19-619AL	Aluminum	19-618AL	Aluminum

### Night Latch Handle Set

Part #	Finish
19-752	Aluminum

### Dummy Handle Set

Part #	Finish
19-753	Aluminum

### Entry Handle Set

Part #	Description
19-1038AL	w/Cylinder
19-1035AL	no Cylinder

### Exit Only Plate

Part #	Finish
19-751	Aluminum

Aluminum Finish

Parts ID Help: (719) 531-0961

## NARROW STILE EXIT DEVICES

## CONCEALED VERTICAL ROD

Exit Device Trims

These panic devices blend the utility of a vertical rod application with the appearance of a traditional panic device. It is non-handed and reversible with a contoured cross bar that will fit doors up to 42" wide and can be field sized to accommodate narrow doors.

Grade - ANSI A156.3 Grade 2

Part #	Finish
19-754	Aluminum
19-754BZ	Bronze



Brass Mortise Cylinder

Part #	Finish
19-755	Aluminum
19-755BZ	Bronze

Zinc Mortise Cylinder

Part #	Finish
19-410	Aluminum
19-410BZ	Bronze



Cylinder Mounting Trim

Part #	Finish
19-756	Aluminum

## FEATURES

- MATERIAL: Contoured anodized aluminum cross bar, stainless steel springs
- LATCH CASE: 1-1/4" wide x 7-1/4" long
- DOOR HEIGHT: 7' standard
- BACKSET: Center template on narrow door stile
- STRIKE: Top-flat mortise, Bottom-flat mortise or directly through threshold
- PROJECTION: 4-3/4"
- STILE: 1-7/8" minimum
- HANDING: Reversible, non-handed
- DOOR THICKNESS: 1-3/4" standard
- DOOR WIDTH: Up to 42"
- MOUNTING HEIGHT: 35-11/16" from floor to center line of the bottom latch case mounting stud
- FASTENERS: Furnished with sheet metal, machine screws and shoulder mounting studs with set screws
- CYLINDER: Accepts mortise type
- DOGGING: Inside- push up dog pin and rotate with screwdriver, Outside- by key cylinder

\*For exterior key application must order 19-756/19-756BZ. Insert mortise cylinder in mounting trim and secure with locking ring nut, included.


## TOUCH BAR

Exit Device Trims

These "crash bar" style exit devices are suitable for narrow, medium or wide stile aluminum and hollow metal doors. Contoured cross bar that will fit doors up to 42" wide and can be field sized to accommodate narrow doors.

Grade - ANSI A156.3 Grade 2

Part #	Finish	Hand
19-747RH	Aluminum	Right
19-747LH	Aluminum	Left
19-748RHBZ	Bronze	Right
19-748LHBZ	Bronze	Left



\*For Left Hand Reverse Door; order RH device

\*For Right Hand Reverse Door; order LH device

## FEATURES


- MATERIAL: Contoured anodized aluminum cross bar, stainless steel springs
- LATCH CASE: 1-1/4" wide x 7-1/4" long with 1/2" stainless throw
- BACKSET: 1-5/32" from edge of door to center line of device
- STRIKE: Rim mounted roller strike with shim
- PROJECTION: 4-3/4"
- STILE: 1-7/8" minimum
- HANDING: Handed, please specify RH or LH
- DOOR THICKNESS: 1-3/4" standard
- DOOR WIDTH: Up to 42"
- MOUNTING HEIGHT: Recommended installation at 39-13/32" from floor to center line of latch or strike assemblies
- FASTENERS: Furnished with sheet metal, machine screws and shoulder mounting studs with set screws
- CYLINDER: Accepts rim cylinder only
- DOGGING: Inside-push up dog pin rotate with screwdriver, Outside-by key cylinder



Rim Cylinder

Part #	Finish
19-568	Aluminum
19-568BZ	Bronze

Exit Only Plate



Pull Trim

Part #	Finish
19-749	Aluminum

Dummy Pull Trim

Part #	Finish
19-750	Aluminum

\*All trim applications for new door or existing hole less than 1-3/16"

## TERMS AND CONDITIONS

<b>MINIMUM</b>	\$25.00 Excluding shipping and handling.
<b>PRICING</b>	Due to market fluctuations, prices will be subject to change without notice.
<b>ORDERING</b>	Our catalog has been designed to make ordering as easy as possible. However, if you are not a 100% sure that you have found the part you need - PLEASE SEND A SAMPLE. To help expedite your orders, please use our part numbers and include your account number on all purchase orders. Customers must specify at time of order if back orders should be canceled. Otherwise back orders will be released routinely and not subject to return.
<b>QUOTATIONS</b>	All quotations good for 30 days, unless otherwise specified. If an item is not shown in our catalog, PLEASE SEND A SAMPLE with any available information - such as name of manufacturer or brand name of their window or door, the type of window or door; e.g., sliding or casement. It is also important to know what function the part performs. If you are presently using a substitute item for your original part - please send both parts. We may be able to provide the original. The above information will help us reduce research time for hard to find and obsolete parts.
<b>FINISHING</b>	Standard finishes will be provided. Please specify if you require a particular finish.
<b>HANDING INFORMATION</b>	Strybuc Industries determines whether an item is left handed or right handed - by viewing it from the inside looking out. Items on your right will be right hand - items on your left will be left hand.
<b>SUBSTITUTION</b>	In order to satisfy need and provide our customers with the most economical and highest quality parts, we may replace catalog items with working substitutes from time to time.
<b>CUSTOM MADE SPECIAL ORDER MERCHANDISE</b>	We offer machine shop facilities for items no longer available. A deposit may be required for custom made/special order material. We will not accept any returns or cancellations for custom made parts, therefore a written or faxed Purchase Order is required.
<b>FREIGHT</b>	No freight allowance. Shipping and handling charges are added to invoice.
<b>SHIPPING</b>	Stock items - within 24 hours upon receipt of order. Non-stock items 3 to 8 weeks or as specified.
<b>DROP SHIP</b>	SBI Express - Order Today, Install Tomorrow! A new program to "drop ship" directly to your customers using any of the above FedEx® Delivery Services
<b>RETURNS</b>	No material will be accepted without a Return Goods Authorization number (RGA# must appear outside of all cartons). Please call Account Manager for RGA#. A 25% Handling/Restocking charge will be assessed to all returns for reasons other than Strybuc errors. All returns must be made within 60 days of invoice date. Custom Made/Special Orders are not subject to return.
<b>CLAIMS</b>	It is your responsibility to inspect all shipments for shortages and damages (concealed or otherwise). If damage has occurred it is your responsibility to file a claim with the carrier, claims for shortages are to be filed with us. All claims are to be made within 10 days.
<b>DISCLAIMER</b>	Photos and illustrations in this catalog are intended only to give an idea of what a product looks like. It is to identify that products use, and does not imply that the item is a genuine product of the said original manufacturer.
WeFixItUSA will never share, sell or rent personal information to anyone. Information submitted to us will only be used for purposes of contacting or emailing you information about upcoming specials, new products, or news at Strybuc. (You can opt out at any time).	



THE SOUTHERN  
DIE CASTING CORP.  
WINDOW HARDWARE

FLORIDA SCREEN  
ENTERPRISES



## THE ONE STOP SOURCE FOR ALL YOUR WINDOW & DOOR HARDWARE

Over the years Strybuc has bought out the entire product line or some of the obsolete inventory from the following companies and can provide or make most of their replacement parts.

ACADIA	CERTAINTEED	HARVEY	MALTA	POZZI	SURVIVOR
ACORN	CHELSEA	HEHR	MANNIX	QUAKER	SUPER SEAL
ACRO	COLUMBIA	HESS	MARVIN		SWS INDUSTRIES
ACME	COX	HOPES	MERCURY		
AIRMASTER	CRAFTLINE	HOWARD	MERZON INDUSTRIES		
ALENCO	CRESTLINE	HURD	METAL INDUSTRIES		
ALHOM	CROSSLY	IDA	MI HOME PRODUCTS		
ALSCO ANACONDA	DARYL	INTERNATIONAL	MIKRON		
ALUMA TRIM	DAYTON	INTERSTATE ALUMINUM	MILCO		
ALUMINUM PRODUCTS	DECEUNINCK	JELD-WEN	MILESTONE		
ALVINSEAL	DETROIT WINDOW	JGR	MILLER MFG.		
AMACOR	DEVAC	JONES	MILGARD		
AMERICAN CRAFTSMAN	DORCHESTER	JORDAN	MOSS		
AMERICAN WINDOW	ECKER	KAWNEER	MW		
ANDERSEN	EFCO	KELLER	NATIONAL		
ANDERSON	E-Z-ROLL	KENSINGTON	NORANDEX		
ARCADIA	FENSTRA	KINCO	NORCO		
ATRIUM	FIBERLUX	KING	NORTHERN BUILDING		
BARBER & ROSS	FLOATAWAY	KINRO	PRODUCTS		
BAYFORM	FLORIDA EXTRUDERS	KRESTMARK	PAN AM		
BELLHOUSE	FOCUS POINT	LAST RESORT	PATRIOT		
BENCHMARK	GALLATINGAPCO	LAURENCE BROTHERS	PEACHTREE		
BETTER-BILT	GENERAL ALUMINUM	LAWSON	PECO		
BF RICH	GENERAL BRONZE	LEALCO	PEERLESS		
BILTBEST	GEORGIA PALM BEACH	LOOK	PELLA		
BINNINGS	GEZE	LOUISIANA PACIFIC	PENNCO		
BISHOP	GRAHAM	LOXSCREEN	PGT		
BURCON	G-U HARDWARE	LUPTON	PHILIPS		
CAPITOL			PH TECH		
CARADCO			PLYGEM		
CHAMPION			PORTALUME		
			STANLEY		
			STATEWIDE ALUMINUM		
			STEPHEN LAURIE		
			STORM WEATHER		
			SUGAR CREEK		

Parts ID Help: (719) 531-0961